



**STANDARD WEAR
PLATE**

PRODUCT DATA SHEET

DRAWING NO: PF-0010-1

REV NO: A

Phone: +1 469-269-2500
Fax: +1 469-200-8821

Web: www.cqmsrazer.com/usa

NOTE

Function


To reduce or eliminate wear in localized areas and in so doing, provide continued production capability to plant and equipment in a cost effective manner.

Features


- Most popular for replacing hard facing and clad plate.
- Ideally suited for in situ repairs and/or installation into localized areas of extreme wear.
- 700 Brinell hardness Chrome Moly white iron metallurgically bonded to mild steel provides extreme levels of both abrasion and impact resistance.

Benefits


- In almost any application where abrasive wear is causing lost production through machine down time.
- Provides up to 6 times the life of conventional wear plates.



ISOMETRIC VIEW



SIDE VIEW



FRONT VIEW

PART No.	DIMENSIONS in/mm				DESCRIPTION	MASS (lbs/kg)
	A	B	C	D		
DLP4677	11.8/ 300	11.8/ 300	0.8/ 20	0.4/ 10	STANDARD WEAR PLATE	46.3/ 21
DLP4682	11.8/ 300	5.9/ 150	0.8/ 20	0.4/ 10	STANDARD WEAR PLATE	22/ 10
DLP5701	17.7/ 450	11.8/ 300	0.8/ 20	0.4/ 10	STANDARD WEAR PLATE	68.3/ 31